

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	84676	character\$2 same (conver\$6 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:46
L12	56	11 and (conver\$5 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:46
L11	65	10 not 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:05
L10	67	9 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:05
L9	84	(hundred near3 thousand near3 character\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:04
L8	68	7 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 16:04
S68	209	S67 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:45
L7	136	('100000' '100,000') near3 character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:44
L6	1	5 and (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:44
L5	1	4 and (unicode\$2 ascii)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:08
L4	1	3 and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:08
S84	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07

L3	1	"6718519".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
L2	0	1 and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
L1	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 15:07
S83	1	"5157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:24
S82	0	('not' same (unicode\$2 ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:21
S81	23480	(unicode\$2 ascii)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18
S80	0	('not' near5 (unicode\$2 ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18
S79	0	('not' near5 (unicode\$2 ascii)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:18
S78	41	S76 not S77	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:17
S77	301	S76 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 11:12
S76	342	S75 and (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27
S75	379	S74 not S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27

S71	209	S70 and @ad<="20001227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:27
S74	436	(('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) and character\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:26
S70	264	(('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 10:26
S73	167	S71 not S72	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S72	54	(('2' two multiple) adj (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S64	54	(('2' two multiple) adj (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:42
S69	167	S68 not S64	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:41
S67	264	(('2' two multiple) near3 (sixteen adj (bit\$2 byte\$2))) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 09:41
S66	5	(('2' two multiple) near3 (sixteen adj byte\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:52
S65	3	(('2' two multiple) adj (sixteen adj byte\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:52
S63	381	(('2' two multiple) adj (sixteen adj bit\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:26
S61	1322	('2' two multiple) near3 (sixteen adj bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:26

S62	6	(multiple near3 (sixteen adj bit\$2)) same (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:25
S60	41	multiple near3 (sixteen adj bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:24
S59	2058	('2' two multiple) near3 (sixteen near3 bit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:23
S58	1840	('2' two) near3 sixteen near3 bit\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:21
		(S55 two) near3 sixteen near3 bit\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:20
S53	29	(double-byte\$2 (double\$2 near3 byte\$2)) near3 (multiple\$2 multi\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 16:19
S57	0	S56 and double-byte	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:30
S56	1	"20020120654"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:30
S55	1	S54 and multi\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
S54	1	"6425123".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
		S54 and (multi\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/28 14:26
S52	43	S51 and (text\$4 near5 authori\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:18

S51	6375	rank\$4 near4 (document\$2 file\$2 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:17
S50	1	"6397259".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 18:17
S49	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 17:28
		"1" and ((web\$5 (web near4 (page\$2 site\$2)) same ((table frame (column row))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 17:26
S48	0	S46 and screen	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:56
S47	1	S46 and (display\$4 show\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:56
S46	1	"6157905".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:40
S43	2	"6157905" and font\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 17:56
S42	5	"6157905"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 17:56
S41	56	((character near2 set) and ((web\$5 (web near4 (page\$2 site\$2))) same (table frame (column row)))) and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 17:56
S40	1159	"3" and unicode\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:43
S39	578	(character near2 set) and ((web\$5 (web near4 (page\$2 site\$2))) same (table frame (column row)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 16:42